

Phone: 513-922-8200

Fax: 513-347-2407

663 Anderson Ferry Rd. Cincinnati, OH 45238 7074 Harrison Ave. Cincinnati, OH 45247

## **Initial Parent Vanderbilt Assessment Scale**

Patient's Name:	Date of Birth: Today's	Date:
Parent's Name:	Patient's Physician:	
Directions: Each rating should be considered	dered in the context of what is appropriate for the age of	f your child.
Is this evaluation based on a time the cl	hild was on medication OR was not on medi	cation?

Syn	nptoms	Never	Occasionally	Often	Very Often
1.	Does not pay close attention to details or makes careless with mistakes, for example, homework	0	1	2	3
2.	Has difficulty keeping attention to what needs to be done	0	1	2	3
3.	Does not seem to listen when spoken to directly	0	1	2	3
4.	Does not follow through when given directions and fails to finish activities. (not due to refusal or misunderstanding)	0	1	2	3
5.	Has difficulty organizing tasks and activities	0	1	2	3
6.	Avoids, dislikes, or is reluctant to engage in tasks that require sustained mental effort (e.g., schoolwork or homework)	0	1	2	3
7.	Loses things necessary for tasks or activities (e.g., toys, school assignments, pencils, books, or tools)	0	1	2	3
8.	Is distracted by noises or other stimuli	0	1	2	3
9.	Is forgetful in daily activities	0	1	2	3
10.	Fidgets with hands or feet or squirms in seat	0	1	2	3
11.	Leaves seat when remaining seated is expected	0	1	2	3
12.	Runs about or climbs excessively in situations in which remaining seated is expected.	0	1	2	3
13.	Has difficulty playing or engaging in leisure activities quietly	0	1	2	3
	Is "on the go" or often acts as if "driven by a motor"	0	1	2	3
15.	Talks excessively	0	1	2	3
16.	Blurts out answers before questions have been completed	0	1	2	3
17.	Has difficulty waiting his/her turn	0	1	2	3
18.	Interrupts or intrudes in others conversation and/or activities	0	1	2	3
19.	Argues with adults	0	1	2	3
	Loses temper	0	1	2	3
	Actively defies or refuses to go along with adult requests or rules	0	1	2	3
	Deliberately annoys people	0	1	2	3
	Blames others for his or her mistakes or misbehaviors	0	1	2	3
	Is touchy or easily annoyed by others	0	1	2	3
	Is angry or resentful	0	1	2	3
	Is spiteful and wants to get even	0	1	2	3

Patient's Name: Date of Birth: T	oday's Date:			
Parent's Name:				
27 Bullios throatans ar intimidates others		1	1 2	2
27. Bullies, threatens, or intimidates others  28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm. (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3

36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	1	2	3
40. Has forced someone into sexual activity	0	1	2	3
	T -			
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her"	0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

Academic Performance	Excellent	Above Average	Average	Somewhat of a Problem	Problematic
48. Overall Performance	1	2	3	4	5
49. Reading	1	2	3	4	5
50. Writing	1	2	3	4	5
51. Mathematics	1	2	3	4	5
Social Performance					
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	2	3	4	5
54. Relationship with peers	1	2	3	4	5
55. Participation in organized activities (e.g., teams)	1	2	3	4	5

Patient's Name:	Date of Birth:	Today's Date:	
Parent's Name:			

## **PRE-EXISTING PROBLEMS**

## Use the following to assess severity:

**None:** The symptom is not present.

Mild: The symptom is present but is not significant enough to cause concern to the patient, to his/her friends, or adults.

**Moderate:** The symptom causes some impairment of functioning or social embarrassment.

**Severe:** The symptom causes impairment of functioning or social embarrassment to such a degree that it requires specific treatment.

	None	Mild	Moderate	Severe
Motor Tics- repetitive movements: jerking or twitching (e.g. eye blinking, eye opening, facial or mouth twitching, shoulder or arm movements)-describe:				
Buccal-lingual movements: Tongue thrusts, jaw clenching, chewing movement besides lip/cheek biting- describe:				
Picking at skin or fingers, nail biting, lip or cheek chewing – describe:				
Worried/Anxious				
Dull, tired, listless				
Headaches				
Stomachache				
Crabby, Irritable				
Tearful, Sad, Depressed				
Socially withdrawn – decreased interaction with others				
Hallucinations (see or hear things that aren't there)				
Loss of appetite				
Trouble sleeping (time went to sleep)				